

ARTIFACT SHEET

Enter artifact number below. Artifact number is application number + artifact type code (see list below) + sequential letter (A, B, C ...). The first artifact folder for an artifact type receives the letter A, the second B, etc..

Examples: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB

09725850 BA

Indicate quantity of a single type of artifact received but not scanned. Create individual artifact folder/box and artifact number for each Artifact Type.

☐

CD(s) containing:

computer program listing

Doc Code: Computer

☐

Artifact Type Code: P

pages of specification

and/or sequence listing

and/or table

Doc Code: Artifact

☐

Artifact Type Code: S

content unspecified or combined

Doc Code: Artifact

☐

Artifact Type Code: U

☐

Stapled Set(s) Color Documents or B/W Photographs

Doc Code: Artifact Artifact Type Code: C

☐

Microfilm(s)

Doc Code: Artifact Artifact Type Code: F

☐

Video tape(s)

Doc Code: Artifact Artifact Type Code: V

☐

Model(s)

Doc Code: Artifact Artifact Type Code: M

☒

Bound Document(s)

Doc Code: Artifact Artifact Type Code: B

☐

Confidential Information Disclosure Statement or Other Documents marked Proprietary, Trade Secrets, Subject to Protective Order, Material Submitted under MPEP 724.02, etc.

Doc Code: Artifact Artifact Type Code X

☐

Other, description: _____

Doc Code: Artifact Artifact Type Code: Z

CERTIFIED COPY OF
PRIORITY DOCUMENT

440

The
United
States
of
America



The Commissioner of
Patents and Trademarks

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extension.

Bence Lehman

Commissioner of Patents and Trademarks

Thomas E. Sawlinski Jr.

Attest



US005844757A

United States Patent [19]

Rose

[11] **Patent Number:** 5,844,757[45] **Date of Patent:** Dec. 1, 1998

[54] **PERSONAL COMPUTER DATA STORAGE CARD AND METHOD FOR TRANSFERRING INFORMATION BETWEEN THE DATA STORAGE CARD AND PERSONAL COMPUTERS**

5,439,755 8/1995 Fujita et al. 360/2 X

Primary Examiner—John H. Wolff

[57] **ABSTRACT**

A personal computer data storage card includes a substrate layer, a magnetic medium layer, and a protective layer respectively affixed together. The data storage card is typically placed within an adapter and inserted into a personal computer floppy disk drive wherein the adapter includes dimensions compatible with the floppy disk drive to permit the data storage card to rotate about an axis perpendicular to the plane of the data storage card. During rotation of the data storage card within the floppy disk drive, the data storage card traverses floppy disk drive read/write heads for information storage and retrieval. Paper may be utilized as the protective layer of the data storage card and include text or graphics to have the data storage card simultaneously function as both a data storage device and a business card or other advertisement media. Further, the data storage card may be of any shape permitting rotation of the data storage card within the adapter, and may include an additional magnetic medium layer and protective layer to provide a storage capacity substantially similar to that of standard floppy disks.

[76] **Inventor:** David H. Rose, 12604 Holdridge Rd., Silver Spring, Md. 20906

[21] **Appl. No.:** 544,950[22] **Filed:** Oct. 18, 1995[51] **Int. Cl.⁶** G11B 5/74[52] **U.S. Cl.** 360/231[58] **Field of Search** 360/131, 2[56] **References Cited****U.S. PATENT DOCUMENTS**

3,684,869	8/1972	Reiter	360/131
4,297,570	10/1981	Kowalski et al.	235/493
4,592,042	5/1986	Lemelson et al.	369/258
4,774,618	9/1988	Raviv	360/133
4,888,659	12/1989	Marquez	360/132
5,107,099	4/1992	Smith	235/449
5,208,802	5/1993	Suzuki et al.	369/289
5,331,627	7/1994	Childers et al.	369/291
5,356,717	10/1994	Choki et al.	360/2 X

18 Claims, 4 Drawing Sheets